


4/27

FIG. 1



2025-03-27

FIG. 2




FIG. 3

LST11

BTN11

BTN12

PAGE SETTING

FINISH

PAPER FEED


PRINTING/QUALITY


FAVORITE (F) :


STANDARD SETTING


ADD (D) ...

EDIT (E) ...









A4 (SCALING FACTOR :
AUTOMATIC SETTING)

DOCUMENT SIZE (G) :

A4

OUTPUT SHEET SIZE (Q) :

SAME AS DOCUMENT SIZE

NUMBER OF COPIES (C) :

1

COPY (1 - 255)

ORIENTATION :
OF PRINTING

☒ LANDSCAPE (L)

☐ SIDWAYS (S)

PAGE LAYOUT (L) :

1 PAGE / SHEET (STANDARD)

DESIGNATE

☐ SCALING FACTOR (M) :

100 %

☐ STAMP (W) :

CONFIDENTIAL

STAMP EDIT (I) ...

PAGE OPTION (N) ...

RETURN TO STANDARD (R)

OK

CANCEL

HELP

DLG1

FIG. 4




FIG. 6




FIG. 7




FIG. 8

?

X

PAGE SETTING

FINISH

PAPER FEED

PRINTING QUALITY

FAVORITE (F) :

STAMP

ADD (D) ...

EDIT (E) ...

DOCUMENT SIZE (G) :

A4

OUTPUT SHEET SIZE (O) :

SAME AS DOCUMENT SIZE

NUMBER OF COPIES (C) :

1

COPY (1 - 255)

ORIENTATION :

LANDSCAPE (L)

SIDEWAYS (S)

PAGE LAYOUT (L) :

1 PAGE / SHEET (STANDARD)

☐ DESIGNATE

☐ SCALING FACTOR (M) :

100 %

☒ STAMP (W) :

< NOT REGISTERED STAMP >

< NOT REGISTERED STAMP >

CONFIDENTIAL

COPY

DRAFT

A4 (SCALING FACTOR :
AUTOMATIC SETTING)

PAGE OPTION

OK

CANCEL

HELP

FIG. 10

SETTING OF PRINTER

PAGE SETTING

FINISH

PAPER FEED

PRINTING QUALITY

FAVORITE (F) :

STANDARD SETTING

ADD (D) ...

EDIT (E) ...

DOCUMENT SIZE (G) :

A4

OUTPUT SHEET SIZE (Q) :

SAME AS DOCUMENT SIZE

NUMBER OF COPIES (C) :

1

COPY (1 - 255)

ORIENTATION :
OF PRINTING

LANDSCAPE (L)

SIDEWAYS (S)

PAGE LAYOUT (L) :

1 PAGE / SHEET (STANDARD)

DESIGNATE

☐ SCALING FACTOR (M) :

100

%

☐ STAMP (W) :

CONFIDENTIAL

STAMP EDIT (I) ...

A4 (SCALING FACTOR :
AUTOMATIC SETTING)

PAGE OPTION (N) ...

RETURN TO STANDARD (R)

OK

CANCEL

HELP

FIG. 11

STAMP DETAILS
? X

STAMP LIST (W) :

CONFIDENTIAL

CONFIDENTIAL

COPY

DRAFT

CONFIDENTIAL

CONFIDENTIAL

Courier

STANDARD

72 POINT (1~500)

50% GRAY

☒ STAMP ENCLOSED (E) : AB ☐ ENCLOSED IN CIRCLE (R) ☐ ENCLOSED IN BOX (B)

PRINTING METHOD : A ☐ WATERMARK PRINTING (P) ☐ OVERLAPPED PRINTING (Q)

☐ PRINTING OF ONLY FIRST PAGE (Q)

NEWLY ADD (A)

DELETE (D)

STAMP NAME (S) : CONFIDENTIAL

TEXT (T) : CONFIDENTIAL

FONT (F) : Courier

STYLE (L) : STANDARD

SIZE (Z) : 72 POINT (1~500)

COLOR (C) : 50% GRAY

COORDINATE

X(X) : 0 (-50~50)

Y(Y) : 0 (-50~50)

MOVE TO CENTER (M)

ANGLE (G)

☒ ASCENDING RIGHTWARD (-)

☒ DESCENDING RIGHTWARD (+)

☐ FREE SETTING (I) 0°

-180° 0° 180°

OK

CANCEL

HELP (H)

CONFIDENTIAL

FIG. 12

EDT21

ADDITION OF FAVORITE

NAME (N) :

ICON (I) :

COMMENT (C) :

ICN21

EDT22

OK

CANCEL

HELP (H)

DLG2

FIG. 13




FIG. 14




FIG. 15





FIG. 16



004210-9E26460

FIG. 18




FIG. 20

SETTING OF PRINTER

PAGE SETTING

FINISH

PAPER FEED

PRINTING QUALITY

FAVORITE (F) :

STANDARD SETTING

2 PAGES/SHEET (BOTH SIDES)

OUTPUT SIZE FIXED TO A4

RESTRICTED INSIDE COMPANY

BIT MAP DEVELOPMENT

STAMP

MY FAVORITE SETTING

ADD (D) ...

EDIT (E) ...

G :

A4

SIZE (S) :

SAME AS DOCUMENT SIZE

COPIES (C) :

1

COPY (1 - 255)

OF PRINTING

LANDSCAPE (T)

A

SIDEWAYS (S)

1 PAGE / SHEET (STANDARD)

PAGE LAYOUT (L) :

1 PAGE / SHEET (STANDARD)

DESIGNATE

☐ SCALING FACTOR (M) :

100

%

☐ STAMP (W) :

CONFIDENTIAL

STAMP EDIT (I) ...

A4 (SCALING FACTOR :
AUTOMATIC SETTING)

PAGE OPTION (N) ...

RETURN TO STANDARD (R)

OK

CANCEL

HELP

FIG. 21




FIG. 22




FIG. 23




FIG. 24

SETTING OF PRINTER

?

X

PAGE SETTING

FINISH

PAPER FEED

PRINTING QUALITY

FAVORITE (F) :

STANDARD SETTING

ADD (D) ...

EDIT (E) ...

PRINTING OBJECT (O) :

DOCUMENT/TABLE

DTP

GRAPHICS

PHOTOGRAPHIC IMAGE

TONER SAVING

CAD

DETAILED SETTING (S) ...

THIS IS AMODE SUITABLE FOR PRINTING OF GENERAL DOCUMENTS AND TABLES.

RESOLUTION (L) :

FINE (600 dpi)

☐ GRAY SETTING IS PERFORMED (G) :

GRAY SETTING (Y) ...

VERSION INFORMATION (B) ...

RETURN TO STANDARD (R)

OK

CANCEL

HELP

FIG. 25




FIG. 26

002210-9226100

DETAILED SETTING

GRAPHICS PRINTING PROCESSING

GRAPHIC MODE : ☒ LIPS MODE (L)
☐ IMAGE MODE (I)
MODE DETAILS (M) : 1BPP

MONOCHROMATIC HALFTONE (T) : PATTERN 2

☐ HOST DEVELOPMENT (H)

RETURN TO STANDARD (R)

OK CANCEL HELP

FIG. 27

DETAILED SETTING

GRAPHICS PRINTING PROCESSING

☐ True Type FONT IS REPLACED AS PRINTER FONT (T)

☐ Type Wing FUNCTION IS EMPLOYED (W)

TONER SAVING MODE (S) : PRIORITY ON PANEL ▼

RETURN TO STANDARD (R)

OK CANCEL HELP

FIG. 29

STORAGE MEDIUM SUCH AS FD/CD-ROM

DIRECTORY INFORMATION
FIRST DATA PROCESSING PROGRAM PROGRAM CODE GROUP CORRESPONDING TO STEPS OF FLOWCHART SHOWN IN FIG. 4
SECOND DATA PROCESSING PROGRAM PROGRAM CODE GROUP CORRESPONDING TO STEPS OF FLOWCHART SHOWN IN FIG. 6
THIRD DATA PROCESSING PROGRAM PROGRAM CODE GROUP CORRESPONDING TO STEPS OF FLOWCHART SHOWN IN FIG. 7
FOURTH DATA PROCESSING PROGRAM PROGRAM CODE GROUP CORRESPONDING TO STEPS OF FLOWCHART SHOWN IN FIG. 13
FIFTH DATA PROCESSING PROGRAM PROGRAM CODE GROUP CORRESPONDING TO STEPS OF FLOWCHART SHOWN IN FIG. 16
SIXTH DATA PROCESSING PROGRAM PROGRAM CODE GROUP CORRESPONDING TO STEPS OF FLOWCHART SHOWN IN FIG. 18
SEVENTH DATA PROCESSING PROGRAM PROGRAM CODE GROUP CORRESPONDING TO STEPS OF FLOWCHART SHOWN IN FIG. 22
EIGHTH DATA PROCESSING PROGRAM PROGRAM CODE GROUP CORRESPONDING TO STEPS OF FLOWCHART SHOWN IN FIG. 23
BUFFER AREA HOLDING CURRENT SETTING
FAVORITE DB (AREA FOR REGISTERING FAVORITES)
STAMP DB (AREA FOR REGISTERING STAMPS)

MEMORY MAP OF STORAGE MEDIUM